


# Wet-Field® Eraser®

Precise, Targeted Coagulation

Beaver-Visitec International offers a range of specialty Eraser® Instruments for Vitreoretinal procedures, Glaucoma filtration and Cataract incisions. Designed for targeted and discrete coagulation with minimal tissue trauma and minimal peripheral cellular necrosis.



For ordering information call:  
1.866.906.8080/1.781.906.8080  
or visit [www.beaver-visitec.com](http://www.beaver-visitec.com)

 **Beaver Visitec**  
*Keeping Your Vision in Sight*

# Wet-Field® Eraser®

Precise, Targeted Coagulation

## Wet-Field® Hemostatic Eraser® Bipolar 18 GA



Description	Item #
18 GA, bevel tip, straight, 10/Bx	221250
18 GA, blunt tip, angled 45 degrees, 10/Bx	221251

## Wet-Field® Hemostatic Eraser® Bipolar 20 GA



Description	Item #
20 GA, blunt tip, straight, 10/Bx	221260
20 GA, blunt tip, angled 135 degrees, 10/Bx	221260135
20 GA, blunt tip, angled 150 degrees, 10/Bx	221260150

## Wet-Field® Hemostatic Eraser® Bipolar 20-23 GA



Description	Item #
20-23 GA Tapered, fine tip, straight, 5/Bx	221265
20-23 GA Tapered, fine tip, angled 135 degrees, 5/Bx	221265135
20-23 GA Tapered, fine tip, angled 150 degrees, 5/Bx	221265150

## Wet-Field® Hemostatic Eraser® Bipolar 20-23 GA



Description	Item #
20-23 GA Tapered, blunt tip, straight, 5/Bx	221266
20-23 GA Tapered, blunt tip, angled 90 degrees, 5/Bx	22126690
20-23 GA Tapered, blunt tip, angled 135 degrees, 5/Bx	221266135
20-23 GA Tapered, blunt tip, angled 150 degrees, 5/Bx	221266150

Straight Eraser® styles are available in 18 GA, 20 GA, 20-23 GA tapered and 25 GA designs. Additional specialty products include hollow-core, passive/active aspiration devices with reflux and extrusion cannula modalities - combined with bipolar diathermy capability. Curved instruments facilitate traditional and extrusion assisted aspiration.

### Wet-Field® Hemostatic Eraser® Bipolar 25 GA



Designed for fine tip hemostasis without compromising power delivery.



#### Description

#### Item #

25 GA, fine tip, straight, 5/Bx	221267
25 GA, fine tip, angled 135 degrees, 5/Bx	221267135
25 GA, fine tip, angled 150 degrees, 5/Bx	221267150

### Wet-Field® Hemostatic Eraser® With Aspiration



Designed to reduce the need for instrument exchange during procedure.



#### Description

#### Item #

20 GA, passive aspirator, straight, 5/Bx	221261
20 GA, active aspirator, with reflux, straight, 4/Bx	221262
20 GA, active aspirator, with reflux, angled 135 degrees, 4/Bx	221262135
20 GA, active aspirator, with reflux, angled 150 degrees, 4/Bx	221262150

Contoured shafts are designed to conform to ocular anatomy while maximizing tip visualization, range of motion, and target approach versatility.



90 degrees



135 degrees



150 degrees

# Wet-Field® Eraser®

## Hemostatic Coagulators

The Wet-Field® Coagulator is designed to provide precise episcleral, intrascleral, and intraocular hemostasis with reduced peripheral tissue trauma. Controlled Rf diathermy delivers targeted coagulation with the most comprehensive line of bipolar Eraser® instruments, forceps and cables.

### Wet-Field® Coagulators



Description	Item #	Qty
Wet-Field Diathermy Coagulator (universal power supply for 100-240 volts) with foot-switch - electrically powered	221320	1/Ea
Footswitch	232345	1/Ea

### Wet-Field® Bipolar Cables



Description	Item #	Qty
Wet-Field Cables - Reusable	221202	3/Bx
Wet-Field Cables - Sterile single-use	221350 10	10/Bx
Wet-Field Cables - Sterile single-use	221350 50	50/Bx

### Specifications

Weight:	4 lb. 2 oz. (1.9 kg)
Dimensions:	5.5" x 8.5" x 11"
Power Requirements:	100 - 240 VAC, 65 W, 50/60 Hz
Output Waveform:	445 kilohertz (kHz) square wave variable burst length
Frequency Range:	445 kilohertz
Output Current Range:	10 - 130 milliamperes (mA rms) into a 500 non-inductive load, continuously variable
Output Power:	0.5 - 8.5 watts into a 500 ohms non-inductive load, continuously variable
Test Load:	500 ohms non-inductive load, neuro-surgical forceps input, using electro-surgical analyzer



**Beaver-Visitec International, Inc.**  
411 Waverley Oaks Road, Waltham, MA 02452  
Tel: 1.866.906.8080 Fax: 1.866.906.4304  
[www.beaver-visitec.com](http://www.beaver-visitec.com)